

Producer Declaration

ArcelorMittal Bissen & Bettembourg S.A.

Route de Finsterthal

L-7769 Bissen

G.D. de Luxembourg

Subject of this declaration is following Fencing Product:

Crapal®4 welded mesh panels with regular mesh

featuring following characteristics:

Wire - low carbon steel wire 4.50mm, TS 400-600N/m², coating **Crapal®4** +/- 350g/m²,

wire diameter acc. to EN 10218-2

Dimension - 78"x39" (1981x991mm) or 39"x39" (991x991mm) or 39"x18" (991x457mm) or 78"x18"
(1981x457mm)

Mesh size - 3"x3" (76.2 x 76.2mm)

Shear weld strength - acc. to EN 10223-4

This letter is to confirm that Fencing Product mentioned afore is manufactured in Luxembourg by
ArcelorMittal Bissen & Bettembourg S.A. and fully complies with following European standards:

EN 16120-2 (Steel grade)

EN 10223-4 (Steel wire welded mesh fencing)

EN 10244-2 (Zinc or zinc alloy coatings)

EN 10218-2 (Wire dimensions and tolerances)

Corrosion resistance: **Crapal®4** (Zn 95% / Al 5%) coating offers 4-times longer life span than heavily galvanised coating (acc. to EN-10244-2, Cl.A) in the same atmospheric conditions.

We declare under our sole responsibility that afore mentioned product is fully in compliance with REACH regulation (Registration, Evaluation, Authorisation and Restriction of Chemicals that entered into force on 1st June 2007).

Bissen, 10.12.2013